SEQUENCE LISTING

(1) General Information

(i) APPLICANT: SANTEN PHARMACEUTICAL CO., LTD.

(ii) TITLE OF INVENTION: Novel Polypeptide Having Water Channel Activity and DNA sequence

(iii) NUMBER OF SEQUENCES:

(iv) CORRESPONDENCE ADDRESS:

(A) ADDRESSEE: SANTEN PHARMACEUTICAL CO., LTD.

(B) STREET: 9 ? 19 Shimoshinjo 3-chome Higashiyodogawa-Ku

(C) CITY: Osaka

(D) STATE: Osaka

(E) COUNTRY: JAPAN

(F) ZIP: 533-0021

(v) COMPUTER READABLE FORM:

(A) MEDIUM TYPE: Diskette, 3.5 inch, 1.44 MB, storage

(B) COMPUTER: IBM PS/2 or compatibles

(C) OPERATING SYSTEM: WINDOWS 95/97

(D) SOFTWARE: Microsoft Word 97

(vi) CURRENT APPLICATION DATE:

(A) APPLICATION NUMBER: 09/381,810

(B) FILING DATE: 19-OCT-1999

(C) CLASSIFICATION: 435

(vii) PRIOR APPLICATION DATE

(A) APPLICATION NUMBER: JP09 094845

(B) FILING DATE: 28-MAR-1997

(viii) ATTORNEY/AGENT INFORMATION:

(A) NAME: Burton A. Amernick

(B) REGISTRATION NUMBER: 24852

(C) REFERENCE/DOCKET NUMBER: 1581/00156

(ix) TELECOMMUNICATION INFORMATION:

(A) TELEPHONE: (202)331-7111

(B) FAX: (202)293-6229

(2) INFORMATION FOR SEQ ID NO: 1:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH F342 amino acids

(B) TYPE: amino acid

(D) TOPOLOGY F linear

(ii) MORECULE TYPE F peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 1:

Met Val Gln Ala Ser Gly His Arg Arg Ser Thr Arg Gly Ser Lys Met

Val Ser Trp Ser Val Ile Ala Lys Ile Gln Glu Ile Leu Gln Arg Lys 25

Met Val Arg Glu Phe Leu Ala Glu Phe Met Ser Thr Tyr Val Met Met 40

Val Phe Gly Leu Gly Ser Val Ala His Met Val Leu Asn Lys Lys Tyr

Gly Ser Tyr Leu Gly Val Asn Leu Gly Phe Gly Phe Gly Val Thr Met 75

Gly Val His Val Ala Gly Arg Ile Ser Gly Ala His Met Asn Ala Ala

Val Thr Phe Ala Asn Cys Ala Leu Gly Arg Val Pro Trp Arg Lys Phe

U Ħ

		_	100					105					110			
		115					120					125			Ala	
Thi	: Ile 130	Tyr	Ser	Leu	Phe	Tyr 135	Thr	Ala	Ile	Leu	His 140	Phe	Ser	Gly	Gly	
Glr 145	Leu ;	Met	Val	Thr	Gly 150	Pro	Val	Ala	Thr	Ala 155	Gly	Ile	Phe	Ala	Thr 160	
Tyr	Leu	Pro	Asp	His 165		Thr	Leu	Trp	Arg 170		Phe	Leu	Asn		Ala	
Trp	Leu	Thr	Gly 180		Leu	Gln	Leu			Phe	Ala	Thr		175 Asp	Gln	
Glu	Asn	Asn		Ala	Leu	Pro		185 Thr	Glu	Ala	Leu		190 Ile	Gly	Ile	
Leu	Val	195 Val	Ile	Ile	Gly		200 Ser	Leu	Gly	Met	Asn	205 Thr	Gly	Tyr	Ala	
Ile	210 Asn	Pro	Ser	Arg	Asp	215 Leu	Pro	Pro	Arg	Ile	220 Phe	Thr	Phe	Ile	Ala	
225					230					235					240	
	Trp			245					250					255		
	Val		260					265					270			
Leu	Val	Phe 275	Ile	Gly	Ser	Thr	Ile 280	Pro	Arg	Glu	Pro	Leu 285	Lys	Leu	Glu	
Asp	Ser 290	Val	Ala	Tyr	Glu	Asp 295	His	Gly	Ile	Thr	Val 300	Leu	Pro	Lys	Met	
Gly 305	Ser	His	Glu	Pro	Thr 310		Ser	Pro	Leu			Val	Ser	Val		
	Ala	Asn	Arg	Ser		Val	His	Pro		315 Pro	Pro	Leu	His	Glu	320 Ser	
Met	Ala	Leu	Glu 340	325 His	Phe				330					335		
(2) INFORMATION FOR SEQ ID NO F2 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH F1258 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: double (D) TOPOLOGY F linear (ii) MOLECULE TYPE: cDNA to mRNA (vi) ORIGINAL SOURCE: (A) ORGANISM: Homo sapiens (B) TISSUE TYPE: fat tissue (ix) FEATURE: (A) NAME/KEY: exon (B) LOCATION F1731198 (C) IDENTIFICATION METHOD: by experiment (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 2:																
GGAC	AGTC.	AC G	GAGG	AACA	A GA	rcaa(GATG	CGC	rgta <i>i</i>	ACT (GAGA	AGCC	CC C	AAGG(C AT(Me)	GCCAG CGGAG G GTT t Val	60 120 178
CAA Gln	GCA ' Ala :	TCC (Ser (GGG (Gly I	CAC A	AGG (Arg <i>l</i>	CGG : Arg :	FCC A Ser 7	ACC (Thr 1	CGT (Arg (GC :	FCC A Ser I	AAA A Lys N 15	ATG (Met ⁷	3ጥር (- r <i>cc</i>	226

Т	GG	TCC	GTO	G ATA	A GC	AAC	ATC	CAG	GAA	ATA	A CTO	CAC	a AGC	3 220	ን አ ጥር	GTG	274
Т	rp	Ser	· Val	lle	ala Ala	a Lys	: Ile	Gln	Glu	$I1\epsilon$	e Lei	Glr	n Arc	Tays	Met	: Val	2/1
	Ī	20				-	25					30		, -,.	, ,,,,,,	. v.c. 1	
C	GΑ	GAG	TTC	CTC	GCC	GAC			AGC	ACA	רמיד ג	י פידו	Тата	ב איני	ב כידי	A TTC	322
A	rq	Glu	Phe	. Lei	ı Ala	ı Glu	ı Phe	Met	Ser	Thr	TVr	· Val	Met	Met	· Val	. Phe	322
	35					40					45				· va.	50	
G	GC	CTI	GGT	TCC	GTO			` ATG	GTT	СТА			מממ מ	י אידי		AGC	370
G	lv	Leu	Glv	/ Ser	Val	Ala	His	Met	Val	T.e.1	ı Acı	Tare	. Tare	. 1141 7 1441	- 01.	Ser	370
	-		1		55			1100	vai	60		. шуа	, пув	TAT	. GI) 65		
T	AC	CTT	' GGT	GTC			GGT	ւ փահահ	GGC			GTC	י אממ	י אידיר		GTG	410
T	vr	Leu	Glv	. Val	Asn	Len	Glv	Dhe	Glv	Dhe	. GOA	777	. ACC	. AIC	GGF	Val	418
	_			70			Cly	1110	75	FILE	: Сту	vaı	. 1111		-	vai	
CZ	AC	GTG	GCA	-		י אדר	י ייירייי	GGA		ראר	י אידיר	י אאר	י ממז	80		ACC	1.00
H:	is	Val	Ala	Glv	Ara	Tle	Ser	oon vla	Δla	Hic	Mot) AAC	. טכא	י פרד	17-1	Thr	466
			85		**** 9	110	. DCI	90	Ala	пть	Met	ASI			. vaı	inr	
T	тт	GCT			י פרפ	. Ста	ccc		стс	CCC	таа	700	95 סמה י			GTC	
Pł	ne	Ala	Asn	Cvs	Δla	Len	Glv	Arg	Val	Dro	Trn	λ×α	TARG	Dho	Dage	GIC	514
		100		. 0,0	1114		105		Val	FIO	, iip	110		Pne	PIC	vai	
TA	TΑ			GGG	CAG	י יייר		GGC	TOO	ጥጥር	י מיזים				7.00	3 000	
Τ̈́\	JΥ	Val	Leu	Glv	Gln	Dhe	T.011	Gly	202	Dho	Tou	אות	י טכן	77-	ACC	ATC	562
13	15	, 44	200	O-y	0111	120		GIY	Set	PHE		Ala	Ala	Ата	Thr		
		AGT	СТС	ጥጥር	ጥልሮ			ATT	CTC	CAC	125	maa	COM	aa ,	~~	130	
Τ̈́́́	/r	Ser	Leu	Dhe	Tur	Thr	λla	Ile	Lou	Uic	Dho	200	GGT	GGA	CAG	CTG	610
- 1	-	001	шси	FIIC	135		Ala	116	Leu			ser	GIA	GIY		Leu	
ΔΊ	rG	GTG	ΔCC	GGT			CCT	ACA	COT	140		mmm	000	7.00	145	~	
Me	• †	Val	Thr	Glv	Dro	Val	אום	Thr	71-	01	AII	TIT	GCC	ACC	TAC	CTT	658
		·uı	+ 111	150	FIO	val	нта	1111		GIY	тте	Pne	Ата		Tyr	Leu	
ככ	ידי	СДТ	CAC		አ <i>ር</i> አ	ጥጥር	TCC	CGG	155	mma	ama	* * *	~~~	160			
Pr	-0	Asn	Hie	Met	Thr	Leu	TVN	7.50	03	Db-c	CIG	AAT	GAG	GCG	TGG	CTG	706
	. •	,,p	165	MCC	1111	neu	тър	Arg 170	GIÀ	Pne	ьeu	Asn		Ala	Trp	Leu	
Δ(٠ <u>.</u>	GGG		СТС	CAG	СТС	TICT.	CTC	mm/a	000	3 m.a	3.00	175				
Th	r	വാ	Mat	LAU	CAG	Tou	Cro	LOU	Dha	77-	ATC	ACG	GAC	CAG	GAG	AAC	754
		180	MCC	пец	GIII	лец	185	Leu	Pne	Ата	Thr		Asp	Gin	GIu	Asn	
ΔΔ			GCA	CTG	ככא	CCA		GAG	aaa	ama	ama	190					
As	n	Pro	Δla	T.e.11	Dro	Glv	Thr	Clu	775	Tan	GIG	ATA	GGC	ATC	CTC	GTG	802
19	5	110	nia	шси	FIO	200	THE	Glu	Ala	ьеи		тте	GIY	шe	ьeu		
		ΔΤΟ	ΔТС	ccc	стс		Cathan	GGC	N TO C	770	205	003	(T) 7 (T)	~~~		210	
Va	1	Tle	Tle	Glv	V-1	Car	Lou	Gly	Mot	AAC	ACA	GGA	TAT	GCC	ATC	AAC	850
• •	_	110	110	Ory	215	SCT	цец	GIY	Met		Inr	GIY	Tyr	Ala		Asn	
CC	G	דככ	CGG	GAC		ccc	ccc	CGC	አጥሮ	220	7 00	mma	3 CDC		225		
Pr	0	Ser	Ara	Agn	LAU	Dro	Dro	Arg	TIO	Dho	Mb.	Dha	ATT	GCT	GGT	TGG	898
	•	001	9	230	neu	FIO	PIO	Arg	235	Pne	THE	Pne	тте		GIŸ	Trp	
GG	C	ΔΔΔ	CAG		ጥጥር	AGC	አልጥ	GGG		770	TOO	maa	maa	240			
Gl	v	Lvs	Gln	Val	Dhe	Sar	Ven	Gly	Clu	AAC	T-0-0	166	TGG	GTG	CCA	GTG	946
01	1.	_, _	245	vui	FIIC	561	VOII	250	GIU	ASII	пр	Trp		vaı	Pro	val	
GT	G (GCA		СТТ	СТС	сст	GCC	TAT	Cura	CCT	ccc	N THO	255	m 7 C	ama	a=a	
Va	1 :	Δla	Pro	T.en	T.Au	Glv	Nlα	Tyr	LON	01	GGC	ATC	ATC	TAC	CTG	GTC	994
٠	- :	260	110	HCU.	пси	GIY	265	TAT	neu	GIY	GIY		iie	Tyr	Leu	Val	
ידיד			GGC	TCC	አርር	አጥሮ		CCC	CNC	000	ОШО	270	mma	~~~			
Ph	، م	Tle	Glv	Ser	Thr	Tlo	Dro	CGG	Clu	D	CIG	AAA	TTG	GAG	GAT	TCT	1042
27	5		- Y	JUL	111L	280	FIO	Arg	GIU	LIO		гÀг	ьeu	Glu	Asp		
		3CG	ΤΔΤ	GDA	GAC		GGG	ע ידי ע	אככ	Om x	285	000	7 7 ~	7 m~	aa-	290	
Va	1 1	200 212	ተለተ	Glii	ZAC Aen	Hi-	ان 11۰۰	ATA	MLCC ML	GIA	1 1 G	De-	AAG	ATG	GGA	TCT	1090
· u.			- 1 -	JIU	295	1112	сту	Ile			ьeu	PTO	гаг	met		ser	
CA	т (ΔΔΕ	CCC	ልሮር		ጥርጥ	ccc	CTC		300	ama	mc	are a	3.00	305		
Hid	- (7] 11 7 12	Dro	Thr	TIA	20~ 101	Dra	CTC .	MCC	000 n=-	GIC	TCT	GIG	AGC	CCT	GCC	1138
	- (- + u	0	310	TTC	26I	FIO	Leu		LTO.	val	ser	val			Ala	
				210					315					320	l		

							ATG GCC	1186
Asn Arg	Ser Ser	Val His	Pro Ala	Pro Pro	Leu His	Glu Ser	Met Ala	
	325		330			335		
CTA GAG	CAC TTC	TAAGCAGA	AGA TTAT	TTGTGA TO	CCATCCA	TCCCCA	ATAA	1238
Leu Glu	His Phe							
340								
AGCAAGG	CTT GTCC	GACAAA						1258